

Foundations and Trends[®] in Communications and
Information Theory
Vol. 12, No. 3-4 (2015) 185–371
© 2015 A. Chaaban and A. Sezgin
DOI: 10.1561/0100000081



Multi-way Communications: An Information Theoretic Perspective

Anas Chaaban
KAUST
anas.chaaban@kaust.edu.sa

Aydin Sezgin
Ruhr-University Bochum
aydin.sezgin@rub.de

Contents

1	Introduction	2
2	Two-way Communications	8
2.1	The Discrete Memoryless Two-way Channel (DM-TWC)	8
2.2	Bounds on the Capacity of the DM-TWC	11
2.3	The Gaussian TWC	17
2.4	Multi-way Networks	19
2.5	Related Work and Open Problems	27
2.6	Summary	29
3	Two-way Relaying	31
3.1	The Linear-deterministic Two-way Relay Channel	35
3.2	The Gaussian Channel	40
3.3	Numerical Illustration	54
3.4	Related Work and Open Problems	55
3.5	Summary	58
4	Multi-pair Two-way Relaying	60
4.1	Linear Deterministic Two-pair Two-way Relay Channel	61
4.2	From the Linear Deterministic Model to the Gaussian Model	69
4.3	The Gaussian Two-pair Two-way Relay Channel	71
4.4	Remarks	80

4.5	Related Work and Open Problems	81
4.6	Summary	82
5	Multi-way relaying	84
5.1	The Y-channel	85
5.2	The Capacity Region of the DYC	88
5.3	The Approximate Capacity Region of the GYC	101
5.4	Sum-capacity Approximation for the GYC	112
5.5	Multi-cast Multi-way Relaying	116
5.6	Related Work and Open Problems	117
5.7	Summary	119
6	MIMO Extensions	120
6.1	MIMO Two-way Relaying	120
6.2	MIMO Multi-pair Two-way Relaying	122
6.3	MIMO Multi-way Relaying	134
6.4	Related Work and Open Problems	147
6.5	Summary	150
7	Conclusions	152
	Appendices	154
A	High-SNR Linear Deterministic Channel Model	155
B	Compress-Forward in Gaussian Channels	162
C	Nested-Lattice Codes and Compute-Forward	166
C.1	Nested-Lattice Codes	166
C.2	Compute-Forward	168
	Notation	171
	References	172

References

- [1] R. Ahlswede. Multi-way communication channels. In *Proceedings of 2nd International Symposium on Information Theory*, pages 23–52, Tsahkadsor, Armenian S.S.R., Sep. 1971.
- [2] R. Ahlswede. The capacity region of a channel with two senders and two receivers. *The Annals of Probability*, pages 805–814, 1974.
- [3] R. Ahlswede, N. Cai, S.-Y. R. Li, and R. W. Yeung. Network information flow. *IEEE Transactions on Information Theory*, 46(4):1204–1216, Jul. 2000.
- [4] A. Alsharoa, F. Bader, and M.-S. Alouini. Relay selection and resource allocation for two-way DF-AF cognitive radio networks. *IEEE Wireless Communications Letters*, 2(4):427–430, Aug. 2013.
- [5] A. Alsharoa, H. Ghazzai, and M.-S. Alouini. A genetic algorithm for multiple relay selection in two-way relaying cognitive radio networks. In *IEEE Vehicular Technology Conference*, Las Vegas, NV, Sep. 2013.
- [6] A. Alsharoa, H. Ghazzai, and M.-S. Alouini. A low complexity algorithm for multiple relay selection in two-way relaying cognitive radio networks. In *IEEE International Conference on Communications*, Budapest, Jun. 2013.
- [7] A. Alsharoa, H. Ghazzai, and M.-S. Alouini. Optimal transmit power allocation for MIMO two-way cognitive relay networks with multiple relays. *IEEE Wireless Communications Letters*, 3:30–33, 2013.

- [8] A. Asadi, Q. Wang, and V. Mancuso. A survey on device-to-device communication in cellular networks. *pre-print arXiv:1310.0720v2*, Oct. 2013.
- [9] A. S. Avestimehr, S. Diggavi, and D. Tse. A deterministic approach to wireless relay networks. *45th Annual Allerton Conference on Communication, Control, and Computing, Illinois, USA*, Sep. 2007.
- [10] A. S. Avestimehr, S. Diggavi, and D. Tse. Wireless network information flow: A deterministic approach. *IEEE Transactions on Information Theory*, 57(4):1872–1905, Apr. 2011.
- [11] A. S. Avestimehr and T. Ho. Approximate capacity of the symmetric half-duplex Gaussian butterfly network. In *Proceedings of the IEEE Information Theory Workshop (ITW)*, pages 311–315, Jun. 2009.
- [12] A. S. Avestimehr, M. A. Khajehnejad, A. Sezgin, and B. Hassibi. Capacity region of the deterministic multi-pair bi-directional relay network. *IEEE Information Theory Workshop (ITW), Volos, Greece*, Jun. 2009.
- [13] A. S. Avestimehr, A. Sezgin, and D. Tse. Capacity of the two-way relay channel within a constant gap. *European Transactions in Telecommunications*, 21(4):363–374, Apr. 2010.
- [14] I.-J. Baik and S.-Y. Chung. Network coding for two-way relay channels using lattices. *Proceedings of IEEE International Conference on Communications, Beijing, China*, pages 3898–3902, May 2007.
- [15] Z. Bar-Yossef, Y. Birk, T. Jayram, and T. Kol. Index coding with side information. *IEEE Transactions on Information Theory*, 57(3):1479–1494, Mar. 2011.
- [16] P. P. Bergmans. Random coding theorem for broadcast channels with degraded components. *IEEE Transactions on Information Theory*, IT-19:197–207, 1973.
- [17] P. P. Bergmans. A simple converse for broadcast channels with additive white gaussian noise. *IEEE Transactions on Information Theory*, IT-20:279–280, 1974.
- [18] H. Boche and M. Schubert. *Duality theory for uplink downlink multiuser beamforming*. EURASIP Book Series on Signal Processing and Communications. Hindawi Publishing Corporation, Smart Antennas - State-of-the-Art ed., 2005.
- [19] S. Boyd and L. Vanderberghe. *Convex optimization*. Cambridge University Press, 2004.

- [20] V. R. Cadambe and S. Jafar. Interference alignment and the degrees of freedom for the K user interference channel. *IEEE Transactions on Information Theory*, 54:3425–3441, Aug. 2008.
- [21] A. B. Carleial. A case where interference does not reduce capacity. *IEEE Transactions on Information Theory*, IT-21(1):569–570, Sep. 1975.
- [22] A. B. Carleial. Interference channels. *IEEE Transactions on Information Theory*, 24(1):60–70, Jan. 1978.
- [23] A. Chaaban, H. Maier, and A. Sezgin. The degrees-of-freedom of multi-way device-to-device communications is limited by 2. In *IEEE International Symposium on Information Theory (ISIT)*, Jan. 2014.
- [24] A. Chaaban, K. Ochs, and A. Sezgin. The degrees of freedom of the MIMO Y-channel. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Istanbul, Jul. 2013.
- [25] A. Chaaban and A. Sezgin. The capacity region of the linear shift deterministic Y-channel. In *IEEE International Symposium on Information Theory (ISIT)*, pages 2457–2461, St. Petersburg, Jul. 31-Aug. 5 2011.
- [26] A. Chaaban and A. Sezgin. On the generalized degrees of freedom of the Gaussian interference relay channel. *IEEE Transactions on Information Theory*, 58(7):4432–4461, Jul. 2012.
- [27] A. Chaaban and A. Sezgin. Signal space alignment for the Gaussian Y-channel. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, pages 2087–2091, Cambridge, MA, Jul. 2012.
- [28] A. Chaaban and A. Sezgin. The approximate capacity region of the Gaussian Y-channel via the deterministic approach. *IEEE Transactions on Information Theory*, 61(2):939–962, Feb. 2015.
- [29] A. Chaaban, A. Sezgin, and A. S. Avestimehr. On the sum capacity of the Y-channel. In *Proceedings of 42nd Asilomar Conference on Signals, Systems and Computers*, Pacific Grove, CA, USA, Nov. 2011.
- [30] A. Chaaban, A. Sezgin, and A. S. Avestimehr. Approximate sum capacity of the Y-channel. *IEEE Transactions on Information Theory*, 59(9):5723–5740, Sep. 2013.
- [31] A. Chaaban, A. Sezgin, and D. Tuninetti. Achieving net feedback gain in the linear-deterministic butterfly network with a full-duplex relay. *Ahlsweide Festschrift, Lecture Notes in Computer Science (LNCS) (arXiv:1207.6540)*, 7777:167–208, 2013.
- [32] M. Chen and A. Yener. Interference management for multiuser two-way relaying. *Proceedings of IEEE Annual Conference on Information Systems and Sciences, Princeton, NJ*, Mar. 2008.

- [33] M. Chen and A. Yener. Multiuser two-way relaying for interference limited systems. *Proceedings of IEEE International Conference on Communications, Beijing, China*, May 2008.
- [34] M. Chen and A. Yener. Multiuser two-way relaying: detection and interference management strategies. *IEEE Transactions on Wireless Communications*, 8(8):4296–4305, Aug. 2009.
- [35] Z. Cheng and N. Devroye. Multi-user two-way deterministic modulo 2 adder channels-When adaptation is useless. In *49th Annual Allerton Conference on Communication, Control, and Computing*, pages 434–438, Monticello, Sep. 2011.
- [36] Z. Cheng and N. Devroye. On constant gaps for the two-way Gaussian interference channel. In *Proceedings of the Annual Allerton Conference on Communication, Control, and Computing*, Monticello, IL, Oct. 2012.
- [37] Z. Cheng and N. Devroye. On the capacity of multi-user two-way linear deterministic channels. In *IEEE International Symposium on Information Theory (ISIT)*, pages 2092–2096, Cambridge, MA, Jul. 2012.
- [38] Z. Cheng and N. Devroye. On constant gaps for the K -pair user two-way Gaussian interference channel with interaction. In *Proceedings of the IEEE Global Conference on Signal and Information Processing (GlobalSIP)*, Austin, TX, Dec. 2013.
- [39] Z. Cheng and N. Devroye. The degrees of freedom of the K -pair-user full-duplex two-way interference channel with and without a MIMO relay. In *IEEE International Symposium on Information Theory (ISIT)*, Jul. 2014.
- [40] Z. Cheng and N. Devroye. Two-way networks: when adaptation is useless. *IEEE Transactions on Information Theory*, 60(3):1793–1813, Mar. 2014.
- [41] H. Chung, N. Lee, B. Shim, and T. Oh. On the beamforming design for MIMO multipair two-way relay channels. *IEEE Transactions on Vehicular Technology*, 61(7):3301–3306, 2012.
- [42] E. Ciftcioglu, Y. Sagduyu, R. Berry, and A. Yener. Cost-delay tradeoffs for two-way relay networks. *IEEE Transactions on Wireless Communications*, 10(12):4100–4109, Dec. 2011.
- [43] M. Costa. Writing on dirty paper. *IEEE Transactions on Information Theory*, 29(3):439–441, May 1983.
- [44] T. Cover. Broadcast channels. *IEEE Transactions on Information Theory*, 18(1):2–14, 1972.

- [45] T. M. Cover and A. El-Gamal. Capacity theorems for the relay channel. *IEEE Transactions on Information Theory*, 25(5):572–584, Sep. 1979.
- [46] T. M. Cover and J. Thomas. *Elements of information theory*. Wiley Series in Telecommunications and Signal Processing, 2nd edition, 2006.
- [47] D. Dash, A. Khoshnevis, and A. Sabharwal. An achievable rate region for a multiuser half-duplex two-way channel. In *Allerton*, pages 2092–2096, Monticello, Sep. 2010.
- [48] G. Dueck. The capacity region of the two-way channel can exceed the inner bound. *Information and Control*, 40(3):258–266, 1979.
- [49] A. El-Gamal and M. Costa. The Capacity Region of a Class of Deterministic Interference Channels. *IEEE Transactions on Information Theory*, IT-28(2):343–346, Mar. 1982.
- [50] U. Erez and R. Zamir. Achieving $1/2 \log(1 + \text{SNR})$ on the AWGN channel with lattice encoding and decoding. *IEEE Transactions on Information Theory*, 50(10):2293–2314, Oct. 2004.
- [51] R. H. Etkin, D. N. C. Tse, and H. Wang. Gaussian interference channel capacity to within one bit. *IEEE Transactions on Information Theory*, 54(12):5534–5562, Dec. 2008.
- [52] T. Gaarder and J. K. Wolf. The capacity region of a multiple access discrete memoryless channel can increase with feedback. *IEEE Transactions on Information Theory*, IT-21:100–102, 1975.
- [53] R. S. Ganesan, H. Al-Shatri, A. Kuehne, T. Weber, and A. Klein. Pair-aware interference alignment in multi-user two-way relay networks. *IEEE Transactions on Wireless Communications*, 12(8):3662–3671, Aug. 2013.
- [54] R. S. Ganesan, T. Weber, and A. Klein. Interference alignment in multi-user two way relay networks. In *Proceedings of the 73rd IEEE Vehicular Technology Conference*, Yokohama, May 2011.
- [55] M. Gastpar, A. Lapidoth, Y. Steinberg, and M. Wigger. Feedback can double the prelog of some memoryless gaussian networks. *arXiv:1003.6082v2 [cs.IT]*, 2012.
- [56] L. Ghabeli and M. S. Derpich. Approaching the capacity of two-way Gaussian relay channel with relay private messages. In *IEEE International Symposium on Information Theory (ISIT)*, 2014.
- [57] T. Gou, S. A. Jafar, S.-W. Jeon, and S.-Y. Chung. Aligned interference neutralization and the degrees of freedom of the $2 \times 2 \times 2$ interference channel. *IEEE Transactions on Information Theory*, 58(7):4381–4395, Jul. 2012.

- [58] D. Gündüz, A. Goldsmith, and H. V. Poor. MIMO Two-way Relay Channel: Diversity-Multiplexing Tradeoff Analysis. In *Proceedings of Asilomar 2008*, Asilomar, USA, 2008.
- [59] D. Gündüz, E. Tuncel, and J. Nayak. Rate regions for the separated two-way relay channel. In *Proceedings of the 46th Annual Allerton Conference on Communication, Control, and Computing*, pages 1333–1340, Urbana-Champaign, IL, Sep. 2008.
- [60] D. Gündüz, A. Yener, A. Goldsmith, and H. V. Poor. The multi-way relay channel. *IEEE Transactions on Information Theory*, 59(1):51–63, Jan. 2013.
- [61] T. S. Han. A general coding scheme for the two-way channel. *IEEE Transactions Information Theory*, 30(1):35–44, 1984.
- [62] T. S. Han and K. Kobayashi. A new achievable rate region for the interference channel. *IEEE Transactions on Information Theory*, IT-27(1):49–60, Jan. 1981.
- [63] M. Hasna and M. Alouini. End-to-end performance of transmission systems with relays over rayleigh-fading channels. *IEEE Transactions on Wireless Communications*, 2(6):1126–1131, Nov. 2003.
- [64] C. Hausl and J. Hagenauer. Iterative network and channel decoding for the two-way relay channel. *Proceedings of IEEE International Conference on Communications, Istanbul, Turkey*, Jun. 2006.
- [65] C. Hausl, O. I. scan, and F. Rossetto. Resource allocation for asymmetric multi-way relay communication over orthogonal channels. *Eurasip Journal on Wireless Communications and Networking*, 20, 2012.
- [66] X. He and A. Yener. A new outer bound for the secrecy capacity region of the Gaussian two-way wiretap channel. In *Proceedings of the IEEE International Conference on Communications*, Cape Town, South Africa, May. 2010.
- [67] X. He and A. Yener. Gaussian Two-way Wiretap Channel with an Arbitrarily Varying Eavesdropper. In *IEEE Globecom*, 2011.
- [68] X. He and A. Yener. The role of feedback in two-way secure communications. *IEEE Transactions on Information Theory*, 59(12):8115–8130, Dec. 2013.
- [69] A. P. Hekstra and F. M. J. Willems. Dependence balance bounds for single-output two-way channels. *IEEE Transactions on Information Theory*, 35:44–53, 1989.

- [70] A. Høst-Madsen and J. Zhang. Capacity bounds and power allocation for wireless relay channels. *IEEE Transactions on Information Theory*, 51(6):2020–2040, Jun. 2005.
- [71] C. Huang, S. A. Jafar, and V. R. Cadambe. Interference alignment and the generalized degrees of freedom of the X channel. *IEEE Transactions on Information Theory*, 58(8):5130–5150, Aug. 2012.
- [72] K.-S. Hwang, M. Ju, and M.-S. Alouini. On the outage performance of two-way amplify-and-forward relaying with outdated CSI over multiple relay network. In *IEEE International Symposium on Personal, Indoor and Mobile Radio Communications*, London, United Kingdom, Sep. 2013.
- [73] K.-S. Hwang, M. Ju, and M.-S. Alouini. Outage performance of opportunistic two-way amplify-and-forward relaying with outdated channel state information. *IEEE Transactions on Communications*, 61(9):3635–3643, Sep. 2013.
- [74] S. A. Jafar. Interference alignment: A new look at signal dimensions in a communication network. *Foundations and Trends in Communications and Information Theory*, 7(1):1–136, 2012.
- [75] S. A. Jafar and S. Vishwanath. Generalized degrees of freedom of the symmetric Gaussian K user interference channel. *IEEE Transactions on Information Theory*, 56(7):3297–3303, Jul. 2010.
- [76] F. Jelinek. Coding for and decomposition of two-way channels. *IEEE Transactions on Information Theory*, 10(1):5–17, Jan. 1964.
- [77] J. Joung and A. H. Sayed. Multiuser two-way amplify-and-forward relay processing and power control methods for beamforming systems. *IEEE Transactions on Signal Processing*, 58(3):1833–1846, Mar. 2010.
- [78] S. Katti, S. Gollakota, and D. Katabi. Embracing wireless interference: Analog Network Coding. *ACM SIGCOMM, Kyoto, Japan*, Aug. 27-31, 2007.
- [79] S. Katti, H. Rahul, W. Hu, D. Katabi, M. Medard, and J. Crowcroft. XORs in the air: practical wireless network coding. *ACM SIGCOMM, Pisa, Italy*, Sep., 11-15 2006.
- [80] S. Kim, N. Devroye, P. Mitran, and V. Tarokh. Comparisons of bi-directional relaying protocols. In *Proceedings of the IEEE Sarnoff Symposium*, Princeton, NJ, Apr. 2008.

- [81] S. Kim, B. Smida, and N. Devroye. Capacity bounds on multi-pair two-way communication with a base-station aided by a relay. *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Jun. 2011.
- [82] S. Kim, B. Smida, and N. Devroye. Lattice strategies for a multi-pair bi-directional relay network. *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Aug. 2011.
- [83] R. Knopp. Two-way radio network with a star topology. In *Proceedings of International Zurich Seminar*, Feb. 2006.
- [84] G. Kramer. *Directed information for channels with feedback*. PhD thesis, Ph.D. dissertation, Swiss Federal Institute of Technology Zurich, 1998.
- [85] G. Kramer, M. Gastpar, and P. Gupta. Capacity theorems for wireless relay channels. *Proceedings of the 41st Annual Allerton Conference on Communication, Control, and Computing*, Oct. 2003.
- [86] G. Kramer and S. A. Savari. Cut sets and information flow in networks of two-way channels. In *IEEE International Symposium on Information Theory (ISIT)*, Jun.-Jul. 2004.
- [87] K. Lee, N. Lee, and I. Lee. Achievable degrees of freedom on k-user y channels. *IEEE Transactions on Wireless Communications*, 11:1210–1219, Mar. 2012.
- [88] K. Lee, N. Lee, and I. Lee. Achievable degree of freedom on K-user Y channels with heterogeneous messages. *IEEE Communications Letters*, 17(2):333–336, Feb. 2013.
- [89] K. Lee, N. Lee, and I. Lee. Achievable degrees of freedom on mimo two-way relay interference channels. *IEEE Transactions on Wireless Communications*, 12(4):1472–1480, Apr. 2013.
- [90] N. Lee and J. Chun. Signal space alignment for an encryption message and successive network code decoding on the MIMO K-way relay channel. In *IEEE International Conference on Communications*, Kyoto, Jun. 2011.
- [91] N. Lee and J. Chun. Degrees of freedom for the MIMO Gaussian K-way relay channel: successive network code encoding and decoding. *IEEE Transactions on Information Theory*, 60(3):1814–1821, Mar. 2014.
- [92] N. Lee and R. Heath. Multi-way information exchange over completely-connected interference networks with a multi-antenna relay. <http://arxiv.org/abs/1302.0749>, 2013.

- [93] N. Lee and R. W. Heath. Degrees of freedom for the fully-Connected multi-way interference networks. In *IEEE International Symposium on Information Theory (ISIT)*, Istanbul, Jul. 2013.
- [94] N. Lee and J.-B. Lim. A novel signaling for communication on MIMO Y channel: signal space alignment for network coding. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, volume 1, pages 2892–2896, Seoul, Jun. 2009.
- [95] N. Lee, J.-B. Lim, and J. Chun. Degrees of freedom of the MIMO Y channel: Signal space alignment for network coding. *IEEE Transactions on Information Theory*, 56(7):3332–3342, Jul. 2010.
- [96] H. H. J. Liao. *Multiple access channels*. PhD thesis, Department of Electrical Engineering, University of Hawaii, Honolulu, Sep. 1972.
- [97] T.-K. Liu, W. Xu, X. Dong, and W.-S. Lu. Adaptive Power Allocation for Bidirectional Amplify-and-Forward Multiple-Relay Multiple-User Networks. In *IEEE Globecom*, pages 1–6, Miami, FL, Dec. 2010.
- [98] H. Loeliger. Averaging bounds for lattices and linear codes. *IEEE Transactions on Information Theory*, 43(6):1767–1773, Nov. 1997.
- [99] T. Lutz, C. Hausl, and R. Kötter. Bits through deterministic relay cascades with half-duplex constraint. *IEEE Transactions on Information Theory*, 58(1):369–381, Jan. 2012.
- [100] M. Maddah-Ali, A. Motahari, and A. Khandani. Communication over MIMO X channels: interference alignment, decomposition and performance analysis. *IEEE Transactions on Information Theory*, 54(8):3457–3470, Aug. 2008.
- [101] H. Maier, A. Chaaban, and R. Mathar. Y- Δ product in 3-way Δ and Y-channels for cyclic interference and signal alignment. In *IEEE International Symposium on Information Theory (ISIT)*, Jun. 2014.
- [102] H. Maier, A. Chaaban, R. Mathar, and A. Sezgin. Capacity region of the reciprocal deterministic 3-way channel via Delta-Y transformation. In *Proceedings of the 52nd Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Oct. 2014.
- [103] I. Maric, R. Dabora, and A. Goldsmith. On the capacity of the interference channel with a relay. *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Toronto, Canada, 2008.
- [104] B. Matthiesen, A. Zappone, and E. A. Jorswieck. Resource allocation for energy-efficient 3-way relay channels. *IEEE Transactions on Wireless Communications*, Apr. 2015.

- [105] H. B. Meeuwissen. *Information Theoretical Aspects of Two-Way Communication*. PhD thesis, TU Eindhoven, 1998.
- [106] M. Mokhtar, Y. Mohasseb, M. Nafie, and H. El-Gamal. On the deterministic multicast capacity of bidirectional relay networks. In *IEEE Information Theory Workshop (ITW)*, Dublin, 2010.
- [107] N. Naderializadeh and A. S. Avestimehr. ITLinQ: A new approach for spectrum sharing in device-to-device communication systems. *pre-print arXiv:1311.5527v1*, Nov. 2013.
- [108] W. Nam, S.-Y. Chung, and Y. Lee. Capacity bounds for two-way relay channels. *Int. Zurich Seminar on Communications (IZS)*, pages 144–147, Mar. 12-14 2008.
- [109] W. Nam, S.-Y. Chung, and Y. Lee. Capacity of the gaussian two-way relay channel to within 1/2 bit. *IEEE Transactions on Information Theory*, 56(11):5488–5494, Jul. 2010.
- [110] K. Narayanan, M. P. Wilson, and A. Sprintson. Joint physical layer coding and network coding for bi-directional relaying. In *Proceedings of the 45th Annual Allerton Conference on Communication, Control, and Computing*, Illinois, USA, Sep. 2007.
- [111] B. Nazer. Successive compute-and-forward. In *Proceedings of the 22nd International Zurich Seminar on Communication (IZS 2012)*, Zurich, Switzerland, Mar. 2012.
- [112] B. Nazer and M. Gastpar. Compute-and-forward: harnessing interference through structured codes. *IEEE Transactions on Information Theory*, 57(10):6463–6486, Oct. 2011.
- [113] T. Oechtering, C. Schnurr, I. Bjelakovic, and H. Boche. Broadcast capacity region of two-phase bidirectional relaying. *IEEE Transactions on Information Theory*, 54(1):454–458, Jan. 2008.
- [114] T. J. Oechtering, R. F. Wyrembelski, and H. Boche. Optimal transmit strategy for the 2×1 MISO bidirectional broadcast channel. In *IEEE SPAWC*, pages 316–320, Recife, Brazil, Jul. 2008.
- [115] L. Ong. Capacity results for two classes of three-way channels. In *Proceedings of the International Symposium on Communications and Information Technologies (ISCIT)*, Gold Coast, QLD, Oct. 2012.
- [116] L. Ong and S. Johnson. The capacity region of restricted multi-way relay channels with deterministic uplinks. In *IEEE International Symposium on Information Theory (ISIT)*, pages 786–790, Cambridge, MA, Jul. 2012.

- [117] L. Ong and S. Johnson. The capacity region of the restricted two-way relay channel with any deterministic uplink. *IEEE Communications Letters*, 16(3), Mar. 2012.
- [118] L. Ong, S. Johnson, and C. M. Kellett. An optimal coding strategy for the binary multi-way relay channel. *IEEE Communications Letters*, 14(4):330–332, Apr. 2010.
- [119] L. Ong, S. Johnson, and C. M. Kellett. The capacity region of multiway relay channels over finite fields with full data exchange. *IEEE Transactions on Information Theory*, 57(5):3016–3031, May 2011.
- [120] L. Ong, C. M. Kellett, and S. Johnson. Functional-decode-forward for the general discrete memoryless two-way relay channel. In *IEEE ICCS*, pages 351–355, Singapor, Nov. 2010.
- [121] L. Ong, C. M. Kellett, and S. Johnson. On the equal-rate capacity of the AWGN multiway relay channel. *IEEE Transactions on Information Theory*, 58(9):5761–5769, Sep. 2012.
- [122] L. H. Ozarow. The capacity of the white Gaussian multiple access channel with feedback. *IEEE Transactions on Information Theory*, 30:623–629, Jul. 1984.
- [123] A. J. Pierrot and M. Bloch. Strongly secure communications over the two way wiretap channel. *IEEE Transactions on Information Forensics and Security*, 6(3):595–605, Sep. 2011.
- [124] P. Popovski and H. Yomo. Physical network coding in two-way wireless relay channels. In *IEEE International Conference on Communications*, pages 707–712, Glasgow, Jun. 2007.
- [125] B. Rankov and A. Wittneben. Achievable rate regions for the two-way relay channel. *International Symposium on Information Theory (ISIT)*, Seattle, USA, Jul. 9-14, 2006.
- [126] B. Rankov and A. Wittneben. Spectral efficient protocols for half-duplex fading relay channels. *IEEE Journal on Selected Areas in Communications*, 25(2):379–389, Feb. 2007.
- [127] J. Richter, C. Scheunert, S. Engelmann, and E. A. Jorswieck. Weak secrecy in the multiway untrusted relay channel with compute-and-forward. *IEEE Transactions on Information Forensics and Security*, 10(6):1262–1273, Jun. 2015.
- [128] P. Rost. The two-way interference channel: towards a redesign of mobile communication systems. In *IEEE Vehicular Technology Conference Fall*, pages 1–5, San Francisco, CA, Sep. 2011.

- [129] S. Saha and R. A. Berry. Symmetric K-user Gaussian interference channels: approximate sum-capacity via deterministic modeling. In *Proceedings of the 50th Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Oct. 2012.
- [130] H. Sato. The capacity of the Gaussian interference channel under strong interference. *IEEE Transactions on Information Theory*, IT-27(6):786–788, Nov. 1981.
- [131] A. Schad and M. Pesavento. Multiuser bi-directional communications in cooperative relay networks. In *IEEE CAMSAP*, pages 217–220, San Juan, Dec. 2011.
- [132] J. Schalkwijk and T. Kailath. A coding scheme for additive noise channels with feedback- Part I: No bandwidth constraint. *IEEE Transactions on Information Theory*, IT-12(2):172–182, Apr. 1966.
- [133] J. P. M. Schalkwijk. The binary multiplying channel: A coding scheme that operates beyond Shannon’s inner bound region. *IEEE Transactions on Information Theory*, 28(1):107–110, 1982.
- [134] J. P. M. Schalkwijk. On an extension of an achievable rate region for the binary multiplying channel. *IEEE Transactions on Information Theory*, 29(3):445–448, May 1983.
- [135] C. Schnurr, S. Stanczak, and T. J. Oechtering. Achievable rates for the restricted half-duplex two-way relay channel under a partial-decode-and-forward protocol. In *IEEE Information Theory Workshop (ITW)*, pages 134–138, Porto, May 2008.
- [136] A. Sezgin, A. S. Avestimehr, M. A. Khajehnejad, and B. Hassibi. Divide-and-conquer: approaching the capacity of the two-pair bidirectional Gaussian relay network. *IEEE Transactions on Information Theory*, 58(4):2434–2454, Apr. 2012.
- [137] A. Sezgin, M. Khajehnejad, A. S. Avestimehr, and B. Hassibi. Approximate capacity region of the two-pair bi-directional gaussian relay network. *IEEE International Symposium on Information Theory (ISIT)*, Seoul, Korea, Jun. 28- Jul. 3, 2009.
- [138] R. Shakeri, A. Taherpour, H. Khakzad, and T. Khattab. Optimal power allocation and relay selection in two-way multi-relay cooperative communication. In *IEEE Gulf Cooperation Council Conference & Exhibition*, Doha, Nov. 2013.
- [139] C. E. Shannon. A mathematical theory of communication. *The Bell System Technical Journal*, 27:379–423, 623–656, 1948.

- [140] C. E. Shannon. The zero error capacity of a noisy channel. *IRE Transactions on Information Theory*, 2(3):8–19, 1956.
- [141] C. E. Shannon. Two-way communication channels. *Proceedings 4th Berkeley Symposium on Mathematical Statistics Probability, Berkeley, CA*, pages 611–644, 1961.
- [142] M. Shaqfeh, A. Zafar, H. Alnuweiri, and M.-S. Alouini. Joint opportunistic scheduling and network coding for bidirectional relay channel. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Istanbul, Turkey, 2013.
- [143] I. Shomorony and A. S. Avestimehr. Sum degrees-of-freedom of two-unicast wireless networks. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, St. Petersburg, Jul. 31-Aug. 5 2011.
- [144] I. Shomorony and A. S. Avestimehr. Degrees of freedom of two-hop wireless networks: everyone gets the entire cake? In *Proceedings of the Annual Allerton Conference on Communication, Control, and Computing*, Monticello, IL, USA, Oct. 2012.
- [145] I. Shomorony and A. S. Avestimehr. Two-unicast wireless networks: characterizing the degrees-of-freedom. *IEEE Transactions on Information Theory*, 59(1):353–383, Jan. 2013.
- [146] D. Slepian and J. K. Wolf. Noiseless coding of correlated information sources. *IEEE Transactions on Information Theory*, IT-19:471–480, Jul. 1973.
- [147] Y. Song and N. Devroye. List decoding for nested lattices and applications to relay channels. In *Proceedings of the 46th Annual Allerton Conference on Communication, Control, and Computing*, 2010.
- [148] Y. Song and N. Devroye. Lattice codes for the Gaussian relay channel: Decode-and-forward and compress-and-forward. *IEEE Transactions on Information Theory*, 59(8):4927–4948, Aug. 2013.
- [149] Y. Song, N. Devroye, H.-R. Shao, and C. Ngo. Lattice coding for the two-way line network. *IEEE Journal on Selected Areas in Communications*, 32(9):1707–1720, Sep. 2014.
- [150] C. Suh and D. Tse. Feedback capacity of the Gaussian interference channel within 2 bits. *IEEE Transactions on Information Theory*, 57(5):2667–2685, May 2011.
- [151] C. Suh, I.-H. Wang, and D. Tse. Two-way interference channels. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Istanbul, Turkey, 2013.

- [152] R. Tandon and S. Ulukus. On dependence balance bounds for two way channels. In *41st Asilomar Conference*, pages 868–872, Pacific Grove, CA, Nov. 2007.
- [153] K. K. Teav, Z. Zhendong, and B. Vucetic. Performance optimization of MIMO Y channels: interference alignment and signal detection. *IEEE Communications Letters*, 18(1):66–69, Jan. 2014.
- [154] M. N. Tehrani, M. Uysal, and H. Yanikomeroglu. Device-to-device communications in 5G cellular networks: Challenges, solutions, and future directions. *IEEE Communications Magazine*, pages 86–92, May 2014.
- [155] E. Telatar. Capacity of multi-antenna Gaussian channels. *European Transactions on Telecommunications*, 10(6):585–596, Nov. 1999.
- [156] Y. Tian and A. Yener. Signal space alignment and degrees of freedom for the two-cluster multi-way relay channel. In *IEEE International Conference on Communications in China*, pages 12–17, Beijing, Aug. 2012.
- [157] Y. Tian and A. Yener. Degrees of freedom optimal transmission for the two-cluster MIMO multi-way relay channel. In *IEEE International Conference on Communications*, pages 3344–3348, Budapest, Jun. 2013.
- [158] Y. Tian and A. Yener. Degrees of Freedom for the MIMO Multi-way Relay Channel. *IEEE Transactions on Information Theory*, 60(5), May 2014.
- [159] R. Timo, G. Lechner, L. Ong, and S. Johnson. Multi-way relay networks: orthogonal uplink, source-channel separation and code design. *IEEE Transactions on Wireless Communications*, 61(2):753–768, Feb. 2013.
- [160] D. Tse and P. Viswanath. *Fundamentals of Wireless Communication*. Cambridge University Press, 2005.
- [161] K. Tutuncuoglu, B. Varan, and A. Yener. Energy harvesting two-way half-duplex relay channel with decode-and-forward relaying: Optimum power policies. In *International Conference on DSP*, Fira, Jul. 2013.
- [162] K. Tutuncuoglu, B. Varan, and A. Yener. Optimum transmission policies for energy harvesting two-way relay channels. In *IEEE International Conference on Communications*, Budapest, Jun. 2013.
- [163] K. Tutuncuoglu and A. Yener. Multiple access and two-way channels with energy harvesting and bi-directional energy cooperation. In *ITA Workshop*, San Diego, CA, Feb. 2013.
- [164] P. Ubaidulla, M.-S. Alouini, and S. Aissa. Multi-pair cognitive two-way relaying and power allocation under imperfect CSI. In *IEEE Vehicular Technology Conference*, Dresden, Jun. 2013.

- [165] E. van der Meulen. Three-terminal communication channels. *Ad. Appl. Pmb.*, 3:120–154, Sep. 1971.
- [166] E. van der Meulen. A survey of multi-way channels in information theory: 1961-1976. *IEEE Transactions on Information Theory*, 23(1):1–37, Jan. 1977.
- [167] R. Vaze and R. W. Heath. Capacity scaling for MIMO two-way relaying. In *Proceedings of International Symposium on Information Theory (ISIT)*, Nice, France, 2007.
- [168] R. Vaze and R. W. Heath. Optimal amplify and forward strategy for two-way relay channel with multiple relays. In *Proceedings IEEE Information Theory Workshop (ITW)*, pages 181–185, Volos, Jun. 2009.
- [169] R. Vaze and R. W. Heath. On the capacity and diversity-multiplexing tradeoff of the two-way relay channel. *IEEE Transactions on Information Theory*, 57(7):4219–4234, Jul. 2011.
- [170] C. Wang. Beyond One-Way Communication: Degrees of Freedom of Multi-Way Relay MIMO Interference Networks. *arXiv:1401.5582*, Jan. 2014.
- [171] C. Wang, H. Chen, Q. Yin, A. Feng, and A. F. Molisch. Multi-user two-way relay networks with distributed beamforming. *IEEE Transactions on Wireless Communications*, 10(10):3460–3471, Oct. 2011.
- [172] G. Wang, W. Xiang, , and J. Yuan. Outage performance for compute-and-forward in generalized multi-way relay channels. *IEEE Communications Letters*, 16(12):2099–2102, Dec. 2012.
- [173] M. P. Wilson, K. Narayanan, H. D. Pfister, and A. Sprintson. Joint physical layer coding and network coding for bidirectional relaying. *IEEE Transactions on Information Theory*, 56(11):5641–5654, Nov. 2010.
- [174] A. Wyner and J. Ziv. The rate-distortion function for source coding with side information at the decoder. *IEEE Transactions on Information Theory*, IT-22(1):1–10, Jan. 1976.
- [175] R. F. Wyrembelski, T. J. Oechtering, I. Bjelakovic, C. Schnurr, and H. Boche. Capacity of Gaussian MIMO bidirectional broadcast channels. In *IEEE International Symposium on Information Theory (ISIT)*, pages 584–588, Toronto, Canada, Jul. 2008.
- [176] L.-L. Xie. Network coding and random binning for multi-user channels. In *Proceedings of the 10th Canadian Workshop Information Theory*, 2007.

- [177] H.-J. Yang, Y. Choi, N. Lee, and A. Paulraj. Achievable sum-rate of MU-MIMO cellular two-way relay channels: lattice code-aided linear precoding. *IEEE Journal on Selected Areas in Communications*, 30(8):1304–1318, Sep. 2012.
- [178] L. Yang, K. Qaraqe, E. Serpedin, and M.-S. Alouini. Performance analysis of amplify-and-forward two-way relaying with co-channel interference and channel estimation error. In *IEEE Wireless Communications and Networking Conference*, pages 3710–3714, Shanghai, Apr. 2013.
- [179] R. Zamir. Lattices are everywhere. In *4th Annual Workshop on Information Theory and its Applications (ITA)*, La Jolla, CA, Feb. 2009.
- [180] A. Zewail, Y. Mohasseb, M. Nafie, and H. El-Gamal. The deterministic capacity of relay networks with relay private messages. In *IEEE Information Theory Workshop (ITW)*, Sevilla, Sep. 2013.
- [181] A. Zewail, Y. Mohasseb, M. Nafie, and H. El-Gamal. The deterministic multicast capacity of 4-node relay networks. In *Proceedings of IEEE International Symposium on Information Theory (ISIT)*, Istanbul, Turkey, Jul. 2013.
- [182] M. Zhang, H. Yi, H. Yu, H. Luo, and W. Chen. Joint optimization in bidirectional multi-user multi-relay MIMO systems: non-robust and robust cases. *IEEE Transactions on Vehicular Technology*, 62(7):3228–3244, Sep. 2013.
- [183] Z. Zhang, T. Berger, and J. P. M. Schalkwijk. New outer bounds to capacity regions of two-way channels. *IEEE Transactions on Information Theory*, 32:383–386, 1986.
- [184] Z. Zhao, Z. Ding, M. Peng, W. Wang, and K. K. Leung. A special case of multi-way relay channel: When beamforming is not applicable. *IEEE Transactions on Wireless Communications*, 10(7):2046–2051, Jul. 2011.